

Message

---

**From:** O'Loughlin, Connor [oloughlin.connor@epa.gov]  
**Sent:** 5/9/2019 5:12:52 PM  
**To:** [Nonresponsive based on revised scope]@WestonSolutions.com]  
**CC:** Baker, Lorie [Baker.Lorie@epa.gov]  
**Subject:** RE: Blades HRS

[Nonresponsive based on revised scope]

## Ex. 5 Deliberative Process (DP)

Connor O'Loughlin P.G.  
Environmental Protection Agency, Region III  
Site Assessment Manager, (3SD12)  
1650 Arch Street,  
Philadelphia, PA 19103-2029  
phone 215-814-3304  
Cell 412-779-0444

---

**From:** [Nonresponsive based on revised scope]@WestonSolutions.com>  
**Sent:** Thursday, May 09, 2019 9:56 AM  
**To:** O'Loughlin, Connor <oloughlin.connor@epa.gov>  
**Cc:** Baker, Lorie <Baker.Lorie@epa.gov>  
**Subject:** RE: Blades HRS

Connor,

## Ex. 5 Deliberative Process (DP)

[Nonresponsive based on revised scope]

Principal Project Scientist  
Weston Solutions, Inc.

[Nonresponsive based on revised scope]

---

**From:** O'Loughlin, Connor [mailto:oloughlin.connor@epa.gov]  
**Sent:** Thursday, May 09, 2019 9:18 AM  
**To:** [Nonresponsive based on revised scope]@WestonSolutions.com>  
**Cc:** Baker, Lorie <Baker.Lorie@epa.gov>  
**Subject:** RE: Blades HRS

**\*\* External Email \*\***

Nonresponsive based on revised scope

I reviewed the SI and HRS bot look good. Lorie covered the comments for them. I just some a few minor editorial things in reference 62. So great job on the documents. **Ex. 5 Deliberative Process (DP)**

## Ex. 5 Deliberative Process (DP)

Comments to the HRS:

## Ex. 5 Deliberative Process (DP)

Connor O'Loughlin P.G.  
Environmental Protection Agency, Region III  
Site Assessment Manager, (3SD12)  
1650 Arch Street,  
Philadelphia, PA 19103-2029  
phone 215-814-3304  
Cell 412-779-0444

---

**From:** Nonresponsive based on revised scope <@WestonSolutions.com>  
**Sent:** Tuesday, May 07, 2019 3:48 PM  
**To:** Baker, Lorie <Baker.Lorie@epa.gov>  
**Cc:** O'Loughlin, Connor <oloughlin.connor@epa.gov>  
**Subject:** RE: Blades HRS

Ok I will revise this tomorrow with the addition below as well. and hopefully we'll get the last SDGs as well.

Thanks!

Nonresponsive based on revised scope

Principal Project Scientist  
Weston Solutions, Inc.

Nonresponsive based on revised scope

---

**From:** Baker, Lorie [mailto:Baker.Lorie@epa.gov]  
**Sent:** Tuesday, May 07, 2019 3:35 PM  
**To:** Nonresponsive based on revised scope <@WestonSolutions.com>  
**Cc:** O'Loughlin, Connor <oloughlin.connor@epa.gov>  
**Subject:** RE: Blades HRS

**\*\* External Email \*\***

Nonresponsive based on revised scope

I didn't do an in-depth review with reference checks, etc., but I do have a few comments, mainly on the summary and Level I section of the doc record. Please see attached.

Thanks!

Lorie

**From:** [Nonresponsive based on revised scope]@WestonSolutions.com>  
**Sent:** Tuesday, May 07, 2019 10:24 AM  
**To:** Baker, Lorie <Baker.Lorie@epa.gov>  
**Cc:** O'Loughlin, Connor <oloughlin.connor@epa.gov>  
**Subject:** RE: Blades HRS

## Ex. 5 Deliberative Process (DP)

[Nonresponsive based on revised scope]  
Principal Project Scientist  
Weston Solutions, Inc.

[Nonresponsive based on revised scope]

**From:** Baker, Lorie [mailto:Baker.Lorie@epa.gov]  
**Sent:** Tuesday, May 07, 2019 10:20 AM  
**To:** [Nonresponsive based on revised scope]@WestonSolutions.com>  
**Cc:** O'Loughlin, Connor <oloughlin.connor@epa.gov>  
**Subject:** RE: Blades HRS

**\*\* External Email \*\***

Hi [Nonresponsive based on revised scope]

## Ex. 5 Deliberative Process (DP)

**From:** [Nonresponsive based on revised scope]@WestonSolutions.com>  
**Sent:** Friday, May 03, 2019 1:44 PM  
**To:** Baker, Lorie <Baker.Lorie@epa.gov>  
**Subject:** Blades HRS

Hi Lorie,

I have the Blades HRS ready. The only thing outstanding is the latest round of data. We did get one of the three validated data sdgs today and I incorporated that.

Ex. 5 Deliberative Process (DP)

## Ex. 5 Deliberative Process (DP)

But all the logbook and Forms Is are referenced and I added more info and supporting documentation to some things as I mentioned the other day.

Thanks!

Nonresponsive based on revised scope

Principal Project Scientist  
Weston Solutions, Inc.

Nonresponsive based on revised scope

CONFIDENTIALITY: This email and attachments may contain information which is confidential and proprietary. Disclosure or use of any such confidential or proprietary information without the written permission of Weston Solutions, Inc. is strictly prohibited. If you received this email in error, please notify the sender by return e-mail and delete this email from your system. Thank you.

**WARNING: External Email: This email originated outside of Weston Solutions. DO NOT CLICK on any links or attachments unless you recognize the sender and are expecting the email.**

CONFIDENTIALITY: This email and attachments may contain information which is confidential and proprietary. Disclosure or use of any such confidential or proprietary information without the written permission of Weston Solutions, Inc. is strictly prohibited. If you received this email in error, please notify the sender by return e-mail and delete this email from your system. Thank you.

**WARNING: External Email: This email originated outside of Weston Solutions. DO NOT CLICK on any links or attachments unless you recognize the sender and are expecting the email.**

CONFIDENTIALITY: This email and attachments may contain information which is confidential and proprietary. Disclosure or use of any such confidential or proprietary information without the written permission of Weston Solutions, Inc. is strictly prohibited. If you received this email in error, please notify the sender by return e-mail and delete this email from your system. Thank you.

**WARNING: External Email: This email originated outside of Weston Solutions. DO NOT CLICK on any links or attachments unless you recognize the sender and are expecting the email.**

CONFIDENTIALITY: This email and attachments may contain information which is confidential and proprietary. Disclosure or use of any such confidential or proprietary information without the written permission of Weston Solutions, Inc. is strictly prohibited. If you received this email in error, please notify the sender by return e-mail and delete this email from your system. Thank you.